

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	("6101265").PN.	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/11 11:35
S2	4	((("5257182") or ("5038035")),PN.	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/11 11:36
S3	0	jp-250097-\$.did.	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/11 11:36
S4	1	jp-06250097-\$.did.	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/11 12:30
S5	251	(359/381).CCL.S.	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/11 12:31
S6	1339	(359/368).CCL.S.	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/11 12:31
S7	145	(359/379).CCL.S.	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/11 12:31
S8	240	(359/380).CCL.S.	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/11 12:31
S9	235	(359/393).CCL.S.	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/11 12:31
S10	1343	(382/128).CCL.S.	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/11 12:31

S11	157	(382/129).CCL.S.	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/11 12:31
S12	399	(382/133).CCL.S.	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/11 12:31
S13	103	(382/134).CCL.S.	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/11 12:31
S14	349	(382/195).CCL.S.	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/11 12:31
S15	237	(382/206).CCL.S.	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/11 12:32
S16	4392	S5 or S6 or S7 or S8 or S9 or S10 or S11 or S12 or S13 or S14 or S15	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/11 12:32
S17	45	S16 and microscop\$ and ((captur\$3 or record\$4) near4 imag\$4) and (magnif\$ with high\$3) and (magnif\$ with low\$3) and (compos\$ with imag\$4)	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/11 14:54
S18	6	((("6,215,892") or ("6,404,916") or ("6,418,236")).PN.	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/11 14:06
S19	2	("4,760,385").PN.	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/11 14:10
S20	2	WO-9839728-\$.did.	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/11 14:51
S21	1	WO-9844446-\$.did.	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/11 14:52

S22	3040	(355/53).CAL.S.	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/11 14:52
S23	549	(355/54).CAL.S.	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/11 14:52
S24	2674	(355/77).CAL.S.	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/11 14:52
S25	186	(348/79).CAL.S.	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/11 14:52
S26	51	(348/80).CAL.S.	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/11 14:53
S27	554	(348/241).CAL.S.	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/11 14:53
S28	57	(348/245).CAL.S.	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/11 14:53
S29	0	("21or22or23or24or25or26or27").PN.	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/11 14:53
S30	6508	S22 or S23 or S24 or S25 or S26 or S27 or S28	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/11 14:53
S31	4	S30 and microscop\$ and ((captur\$3 or record\$4) near4 imag\$4) and (magnif\$ with high\$3) and (magnif\$ with low\$3) and (compos\$ with imag\$4)	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/11 15:48
S32	10848	S16 or S30	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/11 14:54

S33	110	S32 and (microscop\$ or project\$) and ((captur\$3 or record\$4) near4 imag\$4) and (magnif\$ with high\$3) and (magnif\$ with low\$3) and ((field or view\$3) with (section\$3 or portion\$3 or scan\$4))	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/14 14:49
S34	1	S32 and (microscop\$ or project\$) and ((captur\$3 or record\$4) near4 imag\$4) and (magnif\$ with high\$3) and (magnif\$ with low\$3) and (field or view\$4) and ((dummy or dummi\$) with (informat\$ or data or sample or point))	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/11 19:51
S35	9	S32 and (microscop\$ or project\$) and ((captur\$3 or record\$4) near4 imag\$4) and ((dummy or dummi\$) with (informat\$ or data or sample or point))	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/11 18:08
S36	10	S32 and (microscop\$ or project\$) and ((captur\$3 or record\$4) near4 imag\$4) and ((dummy or dummi\$ or false or stray or background) with (informat\$ or data or sample or point) with (assign\$ or insert\$ or plac\$4))	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/11 18:21
S37	403	S32 and (microscop\$ or project\$) and ((captur\$3 or record\$4) near4 imag\$4) and ((reduc\$4 or decreas\$3 or lower) with (memor\$ or bandwidth or band?width or (band near3 width) or stor\$4 or siz\$3))	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/11 18:29
S38	53	S37 and (low\$3 with magnif\$) and (high with magnif\$)	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/11 18:30
S39	35	S32 and ((microscop\$ or project\$) with slid\$3 with scan\$4) and ((captur\$3 or record\$4) near4 imag\$4) and (magnif\$ with high\$3) and (magnif\$ with low\$3)	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/11 19:52
S40	251	(359/381).CCL.S.	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/14 11:32
S41	1339	(359/368).CCL.S.	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/14 11:32
S42	145	(359/379).CCL.S.	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/14 11:32
S43	240	(359/380).CCL.S.	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/14 11:32

S44	235	(359/393).CCL.S.	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/14 11:32
S45	1343	(382/128).CCL.S.	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/14 11:32
S46	157	(382/129).CCL.S.	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/14 11:32
S47	399	(382/133).CCL.S.	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/14 11:32
S48	103	(382/134).CCL.S.	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/14 11:32
S49	349	(382/195).CCL.S.	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/14 11:32
S50	237	(382/206).CCL.S.	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/14 11:32
S51	4392	S40 or S41 or S42 or S43 or S44 or S45 or S46 or S47 or S48 or S49 or S50	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/14 11:32
S52	3040	(355/53).CCL.S.	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/14 11:32
S53	549	(355/54).CCL.S.	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/14 11:32
S54	2674	(355/77).CCL.S.	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/14 11:32

S55	186	(348/79).CCL.S.	US-P6PUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/14 11:32
S56	51	(348/80).CCL.S.	US-P6PUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/14 11:32
S57	554	(348/241).CCL.S.	US-P6PUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/14 11:32
S58	57	(348/245).CCL.S.	US-P6PUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/14 11:32
S59	6508	S52 or S53 or S54 or S55 or S56 or S57 or S58	US-P6PUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/14 11:32
S60	10848	S51 or S59	US-P6PUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/14 11:32
S61	37	S60 and (low near4 (magnif\$ or resolut\$)) and (high near4 (magnif\$ or resolut\$)) and (microscop\$ with objective) and (divi\$4 with (area or slide))	US-P6PUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/14 12:18
S62	56	S60 and (low near4 (magnif\$ or resolut\$)) and (high near4 (magnif\$ or resolut\$)) and (microscop\$ with objective) and ((field near4 view\$4) with slide)	US-P6PUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/14 12:19
S63	58	S60 and (low\$3 near4 (magnif\$ or resolut\$)) and (high near4 (magnif\$ or resolut\$)) and (microscop\$ with objective) and ((field near4 view\$4) with slide)	US-P6PUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/14 12:19
S64	68	S60 and (low\$3 near4 (magnif\$ or resolut\$)) and (high\$3 near4 (magnif\$ or resolut\$)) and (microscop\$ with objective) and ((field near4 view\$4) with slide)	US-P6PUB; USPAT; EPO: JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/14 12:19
S65	19	("3824393" "4034342" "4085006" "4175860" "4667335" "4702595" "4812412" "4839194" "4965725" "5029226" "5051901" "5072382" "5139031" "5257182" "5287272" "5315700" "5357977" "5361140" "5449622").PN.	US-P6PUB; USPAT; USOCR	OR	ON	2005/02/14 12:58

S66	78	(microscop\$ or project\$) and ((captur\$3 or record\$4) near4 imag\$4) and (magnif\$ with high\$3) and (magnif\$ with low\$3) and (field near5 view\$3) and (divi\$4 with (area or slide))	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/14 16:09
S67	2	("6272235").PN.	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/14 15:01
S68	33	(microscop\$ or project\$) and (magnif\$ with high\$3) and (magnif\$ with low\$3) and (field near5 view\$3) and (imag\$4 near4 til\$3) and ((substitut\$ or replac\$4) near5 (dat\$2 or information or imag\$4))	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/14 16:22
S69	18	(microscop\$ near4 slide) and (magnif\$ with high\$3) and (magnif\$ with low\$3) and (field near5 view\$3) and ((substitut\$ or replac\$4) near5 (dat\$2 or information or imag\$4))	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/14 16:51
S70	72	microscop\$ and (slide or carrier) and objective and (magnif\$ with high\$3) and (magnif\$ with low\$3) and (field near4 view\$3) and ((substitut\$ or replac\$4 or eliminat\$3) near5 (dat\$2 or information or imag\$4))	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/14 18:19
S71	2	("4,760,385").PN.	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/14 18:03
S72	2	wo-9720198-\$.did.	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/14 18:04
S73	16	microscop\$ and ((magnif\$ or resolut\$) with high\$3 with (objective or lens\$2 or device)) and ((magnif\$ or resolut\$) with low\$3 with (objective or lens\$2 or device)) and (field near4 view\$3) and ((presen\$ or absen\$) near5 (dat\$2 or information or imag\$4) near5 field)	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/14 18:34
S74	91	microscop\$ and ((magnif\$ or resolut\$) with (objective or lens\$2 or device)) and (field near4 view\$3) and ((presen\$ or absen\$) near5 (dat\$2 or information or imag\$4) near5 field)	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/14 19:08
S75	393	microscop\$ and ((magnif\$ or resolut\$) with (objective or lens\$2 or device)) and (field near4 view\$3) and (((replac\$4 or chang\$4 or alter\$4 or assign\$4) near5 (dat\$2 or information or imag\$4)) with (field or view\$4))	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/14 19:10
S76	153	microscop\$ and ((magnif\$ or resolut\$) with (objective or lens\$2 or device)) and (field near4 view\$3) and (((replac\$4 or chang\$4 or alter\$4 or assign\$4) near4 (dat\$2 or information or imag\$4)) with (field or view\$4)) and (compos\$ with imag\$4)	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/14 19:11

S77	110	microscop\$ and ((magnif\$ or resolut\$) with (objective or lens\$2 or device)) and (field near4 view\$3) and (((replac\$4 or chang\$4 or alter\$4 or assign\$4) near4 (dat\$2 or information or imag\$4)) with (field or view\$4)) and (composite with imag\$4)	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/14 19:11
S78	13	microscop\$ and ((magnif\$ or resolut\$) with (objective or lens\$2 or device)) and (field near4 view\$3) and (((replac\$4 or chang\$4 or alter\$4 or assign\$4) near4 (dat\$2 or information or imag\$4)) with (field or view\$4)) and (composite with imag\$4 with (combin\$5 or til\$3))	US-P6PUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/14 19:12